




Factory of Rolling Bearings and Cardan Shafts

Poljoprivredni program prema zahtevu kupca
Customer Tailored Solutions in Agriculture





Your partner for

Providing the Best Solutions





KATALOG
CATALOGUE

Izdanje
Decembar 2016.
Edition
2016 December



www.fkl-serbia.com

Sadržaj/Content

Ležajevi tanjirače/Disc Harrow Solutions

Agro Point IL2-117-M22-D	5
Agro Point IL2-117-M22-G	6
Agro Point IL2-117-M24-D	7
Agro Point IL2-117-F	8
Agro Point IL2-117-M24-H	9
Agro Point IL2-117-M22-I	10
Agro Point IL-117-M22-D	11
PL-127	12
PL-140	13
PL-185-M30-R (L)	14
306230	15
3206 B.2RS1	16
3307 B.2RS1	17
357234A	18
GWST 209PPB13	19
GWST 209PPB29	20
GWST 211PPB20	21
GWST 211PPB40.X3	22
GW 211PP25	23
GW 211PP202	24
GWR 209PPB30	25
GWR 211PPB21	26
SBX 1227	27
GWHG 211PP25	28
GWHGR 211PP202	29
LE 210 2TB	30

Ležajevi sejačice/Seeding Machine Solutions

VP-16/40/74,5	31
885152	32
885154B	33
3204 B.2RS1	34
3204 T	35
3205 B.2RS1	36
5206 KPP3	37

SL 3303 2S	38
SL 5203 2T	39
SL2 5203-2T	40
VP-M20x1.5/40/72-R (L)	41
06C04-2Z	42
Q 203PP.AH02	43
Q 203PP.AH05	44
SL 53-014-2T	45
SL 5316 2T	46
SLE 53-012-2T	47
SLU 53 012-2T	48
205KRP2	49
LY 312 2F	50
LY 312-203 2F	51
SLE 47-16S-2RS	52
203KRR.AH02	53
203KRR.AH05	54
204KRR2	55
204KRR	56
204KRRB2	57
IL 90-20	58
PL-7516	59

Ležajevi valjaka/*Packer Rollers Solutions*

LSFR 308 TBT.H.T.Zn	60
LSGR 205 FS	61
LSGR 207 TBS	62
LSGR 214 2TB	63
LSNR 205 2T	64
UYNN 206 2S.Y	65
LSNR 207 TBS	66

Ležajevi kombajna/*Combine Solutions*

209 KRR K/50.135	67
207KRRB9	68
G207 KPP3 AH16	69
210RRB6	70
LY 208-108 2F.SH	71
W 208PPB16	72

W 208PP16	73
-----------	----

UYZ 205 2S.H	74
--------------	----

Univerzalna rešenja/*Universal Solutions*

LESN 210 2F	75
-------------	----

LEFG 210 TDT	76
--------------	----

LEFN 210 2TC	77
--------------	----

Potisni ležajevi/*Clutch Release Solutions*

60Z45	78
-------	----

Uporedne oznake/Interchange list for FKL Y - bearings and bearing units

Kuglični ležajevi za tanjirače/Ball Bearings for Disc Harrow Machines

FKL Distributeri/FKL Distributors




www.fkl-serbia.com



Agro Point ležaj Agro Point Bearing

Agro Point IL2-117-M22-D



Osnovne mere/Dimensions (mm)

d	C	D	J	M	L	B	E	G	kg
27,95	25,4	117	98	M12x1,25	102	60	13	M22x1,5	2,4

Potencijalno mesto ugradnje i primena:
Typical Applications:


Tanjirače
Disc Harrow

Ležajevi tanjirače
Disc Harrow Solutions



Agro Point ležaj Agro Point Bearing

Agro Point IL2-117-M22-G



Osnovne mere/Dimensions (mm)

d	C	D	J	M	L	B	E	G	kg
27,95	25,4	117	98	M12x1,25	102	60	13	M22x1,5	2,4

Potencijalno mesto ugradnje i primena:
Typical Applications:


Tanjirače
Disc Harrow



Agro Point ležaj

Agro Point Bearing

Agro Point IL2-117-M24-D



Osnovne mere/Dimensions (mm)

d	C	D	J	M	L	B	E	G	kg
30	27,5	117	98	M12x1,25	106	60	13	M24x2	2,4

Potencijalno mesto ugradnje i primena:
Typical Applications:



Tanjirače
Disc Harrow

Ležajevi tanjirače
Disc Harrow Solutions



Agro Point ležaj Agro Point Bearing

Agro Point IL2-117-F



Osnovne mere/Dimensions (mm)

d	D	J	B	kg
30	117	98	61	1,50

Potencijalno mesto ugradnje i primena:
Typical Applications:


Tanjirače
Disc Harrow



Agro Point ležaj

Agro Point Bearing

Agro Point IL2-117-M24-H



Osnovne mere/Dimensions (mm)

d	C	D	J	M	L	B	E	G	kg
30	27,5	117	98	M12x1,25	106	60	13	M24x2	2,4

Potencijalno mesto ugradnje i primena:
Typical Applications:



Tanjirače
Disc Harrow

Ležajevi tanjirače
Disc Harrow Solutions



Agro Point ležaj Agro Point Bearing

Agro Point IL2-117-M22-I




Osnovne mere/Dimensions (mm)

d	C	D	J	M	L	B	E	G	kg
27,95	25,4	117	98	M12x1,25	102	60	13	M22x1,5	2,4

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow




Agro Point ležaj Agro Point Bearing

Agro Point IL-117-M22-D



Izvedba sa 5 rupa
Design with 5 holes
IL-117-M22-G

Izvedba sa 6 rupa
Design with 6 holes
IL-117-M22-I



Osnovne mere/Dimensions (mm)

d	C	D	J	M	L	B	E	G	kg
27,95	25,4	117	98	M12x1,25	122	80	13	M22x1,5	2,8

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow

Ležajevi tanjirače
Disc Harrow Solutions




Ležajna jedinica Bearing Unit

PL-127

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	PL-127
HORSCH	28085600



Osnovne mere/Dimensions (mm)

D	J	M	G	C	kg
127,3	106	M12	M20	38	4


Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Ležajna jedinica Bearing Unit

PL-140



Osnovne mere/Dimensions (mm)

d	D	J	M	B	C	kg
30	140	104	M12	35	23,8	1,5

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow

Ležajevi tanjirače
Disc Harrow Solutions





Ležajna jedinica Bearing Unit

PL-185-M30-R (L)

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	PL-185-M30-R (L)
LEMKEN	5554502 (5554503)



Osnovne mere/Dimensions (mm)

d	D	J	N	B	C	G	kg
35	185	160	12	113	61,6	M30x1.5	3,92

Potencijalno mesto ugradnje i primena:
Typical Applications:


Tanjirače
Disc Harrow



Dvoredni kuglični ležaj sa kosim dodirom

Double Row Angular Contact Ball Bearing

306230




UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL 306230

LEMKEN 3198760

Ležajevi tanjirače
Disc Harrow Solutions



Osnovne mere/Dimensions (mm)

d	D	B	kg
30	62	30	0,390


Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Dvoredni kuglični ležaj sa kosim dodirom *Double Row Angular Contact Ball Bearing*

3206 B.2RS1



Osnovne mere/Dimensions (mm)

d	D	B	kg
30	62	23,8	0,285

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Dvoredni kuglični ležaj sa kosim dodirom

Double Row Angular Contact Ball Bearing

3307 B.2RS1




UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	3307 B.2RS1
SKF	3307 A.2RS1
INA/FAG	3307-BD-2HRS-TVH

Ležajevi tanjirače
Disc Harrow Solutions



Osnovne mere/Dimensions (mm)

d	D	B	kg
35	80	34,9	0,7

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Dvoredni kuglični ležaj sa kosim dodirom Double Row Angular Contact Ball Bearing

357234A

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL 357234A

SKF VKBA 857D


NKE 3198750

LEMKEN F214101-1
3198750

SNR GB-40582

CLAAS 939717.0

FERSA A+S F16201



Osnovne mere/Dimensions (mm)

d	D	B	kg
35	72	34	0,539

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Ležajna jedinica sa limenim kućištem *Bearing Unit with Metal Sheet Housing*

GWST 209PPB13




UPOREDNE OZNAKE *COMPARATIVE DESIGNATION*

FKL GWST 209PPB13

JOHN DEERE	AA30941
	DS209TTR13
	ST 209 1 3/4
	AA29784
	AA28184

Ležajevi tanjirače
Disc Harrow Solutions



Osnovne mere/*Dimensions* (mm)

d	D	B	C	N	kg
45,24	150	48,5	36,53	13,5	1,836

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Ležajna jedinica sa limenim kućištem


Bearing Unit with Metal Sheet Housing

GWST 209PPB29

UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	GWST 209PPB29
KUHN	FD209RK
KRAUSE	ST 209 1 1/4SQ
	40-128
	5635
GREAT PLAINS	822-209C
	311007
	DHU114S209



Osnovne mere/Dimensions (mm)

a	B	C	L	M	N	kg
32,8	42,85	39	127	17,5	13,5	1,630

Potencijalno mesto ugradnje i primena:
 Typical Applications:

Tanjirače
 Disc Harrow



Ležajna jedinica sa limenim kućištem *Bearing Unit with Metal Sheet Housing*


GWST 211PPB20



UPOREDNE OZNAKE *COMPARATIVE DESIGNATION*

FKL	GWST 211PPB20
JOHN DEERE	AA 30942
	822-208C
	AA27172
	AA28186
	DS211TTR20
	ST 211-2 3/16

Ležajevi tanjirače
Disc Harrow Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	N	kg
55,7	167	56,5	39,7	13,5	2,706

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow





Ležajna jedinica sa limenim kućištem Bearing Unit with Steel Sheet Housing

GWST 211PPB40.X3

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	GWST 211PPB40.X3
	ST 740 SQ 40,5



Osnovne mere/Dimensions (mm)

a	B	C	L	N	kg
40,5	55,55	44,7	140	13,5	2,26

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Kuglični ležaj Ball Bearing


GW 211PP25



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	GW 211PP25
SUNFLOWER	SN3091

Ležajevi tanjirače
Disc Harrow Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
45,212	100	44,5	33,34	1,11

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow




Kuglični ležaj Ball Bearing

GW 211PP202

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	GW 211PP202
SUMMERS	8K2050
	8K2000



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
51,308	100	60,3	33,34	1,11

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow




Gumirana ležajna jedinica *Rubberized Bearing Unit*

GWR 209PPB30



UPOREDNE OZNAKE *COMPARATIVE DESIGNATION*

FKL	GWR 209PPB30
KRAUSE	40-167
KABAT	1927-11-0
	GW209PPB23+BR209RH



Osnovne mere/*Dimensions* (mm)

d	D	B	H	C	N	kg
44,958	101	42,86	54	40	12,7	0,92

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow

Ležajevi tanjirače
Disc Harrow Solutions




Gumirana ležajna jedinica Rubberized Bearing Unit

GWR 211PPB21

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	GWR 211PPB21
GREAT PLAINS	822-026
KRAUSE	CDS211TTR23N/3A
	GW211PPB21+BR211RH
	2410-10-0



Osnovne mere/Dimensions (mm)

d	D	B	H	C	N	kg
45,212	113	53,975	60,5	44,7	12,7	1,620

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Kuglični ležaj Ball Bearing


SBX 1227



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	SBX 1227
CASE	409556A1

Ležajevi tanjirače
Disc Harrow Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
55,562	110	55,562	38,3	1,8

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow




Podešljiva ležajna jedinica Trunnion Bearing Unit

GWHG 211PP25

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	GWHG 211PP25
SUNFLOWER	SN3090



Osnovne mere/Dimensions (mm)

d	B	H	L	C	kg
45, 212	54	200	134	44,5	4,88

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Podešljiva ležajna jedinica

Trunnion Bearing Unit

GWHGR 211PP202




UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	GWHGR 211PP202
SUMMERS	8K2050
	8K2000

Ležajevi tanjirače
Disc Harrow Solutions



Osnovne mere/Dimensions (mm)

d	B	H	L	C	kg
51,308	60,3	202,5	129,5	57	4,8


Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow



Kuglični ležaj Ball Bearing

LE 210 2TB



Osnovne mere/Dimensions (mm)

d	D	B	C	M	kg
50	90	51,6	22	10x1	0,70

Potencijalno mesto ugradnje i primena:
Typical Applications:

Tanjirače
Disc Harrow




Dvoredni kuglični ležaj sa osovnicom Double Row Ball Bearing with Shaft

VP-16/40/74,5



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	VP-16/40/74,5
GASPARDO	F04100040
	PN 00035



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
15,918	40	74,5	38,9	0,352

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine

Ležajevi sejačice
Seeding Machine Solutions



Dvoredni kuglični ležaj sa osovnicom


Double Row Ball Bearing with Shaft

885152

UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	885152
JOHN DEERE	AA21015 AA35741
CASE	128558C91 IH GA2022 ST 022-096
TORO	751290 AC70593891



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
15,918	30	69,3	38,9	0,178

Potencijalno mesto ugradnje i primena:
 Typical Applications:


Sejačice
 Seeding Machine



Dvoredni kuglični ležaj sa osovnicom


Double Row Ball Bearing with Shaft

885154B



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	885154B
FAFNIR	AN131668
GREAT PLAINS	822-023C
	AA49161
	446612MI
	369851
IBO	6930 SRR2
	851-SMA885154B
	7535011
	822023CF108
HORSCH	00310131



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
15,918	30	69,3	38,9	0,182

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine

Ležajevi sejačice
Seeding Machine Solutions




Dvoredni kuglični ležaj sa kosim dodirom *Double Row Angular Contact Ball Bearing*

3204 B.2RS1

UPOREDNE OZNAKE *COMPARATIVE DESIGNATION*

FKL	3204 B.2RS1
MONOSEM	7014A



Osnovne mere/Dimensions (mm)

d	D	B	kg
20	47	20,6	0,16

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Dvoredni kuglični ležaj sa kosim dodirom

Double Row Angular Contact Ball Bearing

3204 T



UPOREDNE OZNAKE

COMPARATIVE DESIGNATION


FKL

3204 T

SEMEATO Brazil

F-110390

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
20	47	25,2	22	0,185

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Dvoredni kuglični ležaj sa kosim dodirom


Double Row Angular Contact Ball Bearing

3205 B.2RS1

UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	3205 B.2RS1
SKF	3205 A.2RS1
INA/FAG	3205-BD-2HRS-TVH



Osnovne mere/Dimensions (mm)

d	D	B	kg
25	52	20,6	0,18

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Dvoredni kuglični ležaj sa kosim dodirom

Double Row Angular Contact Ball Bearing

5206 KPP3




UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	5206 KPP3
GREAT PLAINS	822-215C
KINZE	GA8603
	GA8641

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
30,150	62	50	37	0,500

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine




Dvoredni kuglični ležaj sa kosim dodirom Double Row Angular Contact Ball Bearing

SL 3303 2S

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL SL 3303 2S

TEHNIKA-SERVICE, 3303 LLU-1
Russia



Osnovne mere/Dimensions (mm)

d	D	B	kg
17	47	24,2	0,20

Potencijalno mesto ugradnje i primena:
Typical Applications:


Sejačice
Seeding Machine



Dvoredni kuglični ležaj sa kosim dodirom

Double Row Angular Contact Ball Bearing

SL 5203 2T




UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	SL 5203 2T
	5203VVAN
	5203KYY2
	DAC164044-2RS
	5203BLL
WHITE	854003
MONOSEM	7140A
GREAT PLAINS	822-170C
CASE	324461A1
JOHN DEERE	AN212132
KINZE	GA6171
KUHN	81101640
	DAC164044RSL
	2RSLCS16

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
16,195	40	43,88	38,93	0,218

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine




Dvoredni kuglični ležaj sa kosim dodirom *Double Row Angular Contact Ball Bearing*

SL2 5203-2T

UPOREDNE OZNAKE *COMPARATIVE DESIGNATION*

FKL	SL2 5203-2T
GASPARDO	F04100149



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
16,3	40	72	38,93	0,267

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Dvoredni kuglični ležaj sa osovnicom Double Row Ball Bearing with Shaft

VP-M20x1.5/40/72-R (L)




UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL

VP-M20x1.5/40/72-R (L)

TEHNIKA-SERVICE, VP-M20x1.5/40/72-R (L)
Russia

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	G	kg
24,2	40	72	38,93	M20x1.5	0,44

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačica
Seeding Machine



Kuglični ležaj sa dodirom u četiri tačke



Four Point Contact Ball Bearing

06C04-2Z

UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	06C04-2Z
PEER	204JY3
SMA	851-SMA204RY2
FITS TYPE	550-302
GREAT PLAINS	820-003C, 822-011C
JOHN DEERE	AA21480
KINZE	GA2014
USA NUMBER	204PY3
IHC	145161C91 1258017C91 492757R91 493532R91
HORSCH	00240199, 00310104
FAFNIR	204RY2



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
16	45,2	18,67	15,4	0,23

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Kuglični ležaj sa dodirom u četiri tačke


Four Point Contact Ball Bearing

Q 203PP.AH02



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	Q 203PP.AH02
JOHN DEERE	AA281357
	AH63076
	AH100425
	AN10097N
	AN141120
	AN142670
TIMKEN	BB203RR2
IHC	2149261C91, 666624R91
MF	832651M1



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
16,256	40	18,29	12	0,08

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine

Ležajevi sejačice
Seeding Machine Solutions




Kuglični ležaj sa dodirom u četiri tačke

Four Point Contact Ball Bearing

Q 203PP.AH05

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	Q 203PP.AH05
TIMKEN	BB203KRR5
LEMKEN	3199369



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
13,081	40	18,29	12	0,091

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Kuglični ležaj sa dodirom u četiri tačke

Four Point Contact Ball Bearing

SL 53-014-2T




UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL SL 53-014-2T

GREAT PLAINS 188-006V

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
22,25	53,086	19,4	18,288	0,174

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine




Kuglični ležaj sa dodirom u četiri tačke

Four Point Contact Ball Bearing

SL 5316 2T

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	SL 5316 2T
JOHN DEERE	AA205DD
	205VVH
GREAT PLAINS	188-001V
	205 GP




Osnovne mere/Dimensions (mm)

d	D	B	C	kg
16	53,086	19,4	18,288	0,28

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Kuglični ležaj sa dodirom u četiri tačke

Four Point Contact Ball Bearing

SLE 53-012-2T




UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL SLE 53-012-2T

GREAT PLAINS 188-009V

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
19,18	53,086	43,5	18,288	0,299

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Kuglični ležaj sa dodirom u četiri tačke



Four Point Contact Ball Bearing

SLU 53-012-2T

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL SLU 53-012-2T

GREAT PLAINS 188-004V



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
19,18	53,086	34,2	18,288	0,257

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Kuglični ležaj Ball Bearing


205KRP2



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	205KRP2
JOHN DEERE	A27002
	R702020
	SNDR30005

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
19,202	52	21,1	15	0,28

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine




Kuglični ležaj Ball Bearing

LY 312 2F

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	LY 312 2F
	HC312
INA	GNE60KRRB
HORSCH	00240039



Osnovne mere/Dimensions (mm)

d	D	B	C	M	kg
60	130	68,4	33	10x1	2,97

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Kuglični ležaj Ball Bearing

LY 312-203 2F




UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL LY 312-203 2F

SBX1218C3 L8

JOHN DEERE JD10017/JD8668

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
55,562	130	68,4	33	2,97

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine





Kuglični ležaj Ball Bearing

SLE 47-16S-2RS

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	SLE 47-16S-2RS
GASPARDO	G14830390




Osnovne mere/Dimensions (mm)

a	D	B	C	kg
16,4	47	25	12	0,11

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine




Kuglični ležaj Ball Bearing

203KRR.AH02



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	203KRR.AH02
FAFNIR	203KRR2
JOHN DEERE	JD 9214, AN100425
NTN	23RRAR10
BCA	203RRAR10
IHC	666624R91
LINK-BELT	126115
CASE	F16246
FAG	518855
NEW HOLLAND	66553
FORD	222279
GEHL	520117



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
16,26	40	18,29	12	0,09

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine

Ležajevi sejačice
Seeding Machine Solutions




Kuglični ležaj Ball Bearing

203KRR.AH05

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	203KRR.AH05
FAFNIR	203KRR5
JOHN DEERE	JD10008, JD9295
BCA	203RRAR8
IHC	611928R91, 107095C91
TYE	522-20SP
AC	562134
LEMKEN	3198563, 3198702



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
13	40	18,29	12	0,09

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine




Kuglični ležaj Ball Bearing

204KRR2



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	204KRR2
FAFNIR	AH107148
JOHN DEERE	JD7126
	1AH01-11/16
	11KB204N
LAND PRIDE	822-173C
	HPC011GP



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
17,65	47	20,96	14	0,145

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine

Ležajevi sejačice
Seeding Machine Solutions




Kuglični ležaj Ball Bearing

204KRR

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	204KRR
INA/FAG	204KRR




Osnovne mere/Dimensions (mm)

d	D	B	C	kg
20	47	17,7	14	0,12

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine




Kuglični ležaj Ball Bearing

204KRRB2



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	204KRRB2
GREAT PLAINS	822-173C
	A-HPS011GP
	11K204N



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
17,65	47	20,96	14	0,145

Potencijalno mesto ugradnje i primena:
Typical Applications:


Sejačice
Seeding Machine

Ležajevi sejačice
Seeding Machine Solutions



Ležajna jedinica Bearing Unit

IL 90-20



Osnovne mere/Dimensions (mm)

d	D	J	M	B	C	kg
20	90	75	M6	35	25	0,49

Potencijalno mesto ugradnje i primena:
Typical Applications:

Sejačice
Seeding Machine



Ležajna jedinica Bearing Unit


PL-7516



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	PL-7516
SKF	ADH 7545/7546

Ležajevi sejačice
Seeding Machine Solutions



Osnovne mere/Dimensions (mm)

Oznaka/Designation	d	D	D ₁	J	N	C	kg
PL-7516	16	92	24,2	75	6,7H12	34	0,56
PL-7517	17	92	24,2	75	6,7H12	34	0,56
PL-7520	20	92	24,2	75	6,7H12	34	0,56


Sejačice
Seeding Machine

Potencijalno mesto ugradnje i primena:
Typical Applications:



Ležajna jedinica Bearing Unit

LSFR 308 TBT.H.T.Zn



Osnovne mere/Dimensions (mm)

d	L	J	M	B	C	kg
40	130	101,5	M12	51,4	42,9	2,40

Potencijalno mesto ugradnje i primena:
Typical Applications:

Za valjke
For Packer Rollers




Ležajna jedinica Bearing Unit

LSGR 205 FS



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	LSGR 205 FS
LEMKEN	3199371
	F-239975-0200
	PN 00029
	RCJT 25x400x43 GGG



Osnovne mere/Dimensions (mm)

d	L	J	B	C	M	kg
25	99	82	43	25	10	1,55

Za valjke
For Packer Rollers

Potencijalno mesto ugradnje i primena:
Typical Applications:

Ležajevi valjaka
Packer Rollers Solutions



Ležajna jedinica


Bearing Unit

LSGR 207 TBS

UPOREDNE OZNAKE

COMPARATIVE DESIGNATION

FKL	LSGR 207 TBS
	F-232812-0200
LEMKEN	3199372
	PN 00032RCJ
INA	RCJ 35x118x39.9



Osnovne mere/Dimensions (mm)

d	L	J	B	C	M	kg
35	125	100	40	28,3	12	1,70

Potencijalno mesto ugradnje i primena:
Typical Applications:

Za valjke
For Packer Rollers



Ležajna jedinica Bearing Unit

LSGR 214 2TB




UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL

 BELAGROMASHSERVIS,
Russia

LSGR 214 2TB

LST 214

 Ležajevi valjaka
Packer Rollers Solutions


Osnovne mere/Dimensions (mm)

d	L	J	B	C	kg
70	188	154	60	37	5,60

Potencijalno mesto ugradnje i primena:
Typical Applications:

Za valjke
For Packer Rollers




Ležajna jedinica Bearing Unit

LSNR 205 2T

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL LSNR 205 2T

LEMKEN 3199367




Osnovne mere/Dimensions (mm)

d	L	J	B	C	N	kg
25	135	99	35	34,8	11	0,91

Potencijalno mesto ugradnje i primena:
Typical Applications:

Za valjke
For Packer Rollers



Ležajna jedinica Bearing Unit

UYNN 206 2S.Y




UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL UYNN 206 2S.Y

SKF FYTJ 30 FM

Ležajevi valjaka
Packer Rollers Solutions



Osnovne mere/Dimensions (mm)

d	L	J	B	C	N	kg
30	148	117	44,7	30,5	16	0,9

Potencijalno mesto ugradnje i primena:
Typical Applications:

Za valjke
For Packer Rollers

Specifičnosti/Specificity

Materijal kućišta: nodularni liv/Housing material: ductile iron




Ležajna jedinica Bearing Unit

LSNR 207 TBS

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	LSNR 207 TBS
LEMKEN	3199352




Osnovne mere/Dimensions (mm)

d	L	J	B	C	N	kg
35	155	130	40	28,3	14	1,05


Potencijalno mesto ugradnje i primena:
Typical Applications:

Za valjke
For Packer Rollers



Kuglični ležaj Ball Bearing

209 KRR K/50.135



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
50,135	81	30	18	0,42

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine

Ležajevi kombajna
Combine Solutions




Kuglični ležaj Ball Bearing

207KRRB9

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	207KRRB9
JOHN DEERE	JD 9457
TIMKEN/FAFNIR	207KRRB9



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
28,6	72	37,7	17	0,51

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine



Kuglični ležaj Ball Bearing


G207 KPP3 AH16



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	G207 KPP3 AH16
JOHN DEERE	JD 10458

Ležajevi kombajna
Combine Solutions



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
31,78	72	38	19	0,65

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine




Kuglični ležaj Ball Bearing

210RRB6

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	210RRB6
JOHN DEERE	AE42880
BCA	HPS108GPB-I
PEER	G210KPPB2



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
38,12	90	30	22	0,80

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine



Kuglični ležaj Ball Bearing


LY 208-108 2F.SH



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	LY 208-108 2F.SH
JOHN DEERE	AE48913
	1108KRR
	DR30022

Ležajevi kombajna
Combine Solutions



Osnovne mere/Dimensions (mm)

d	D	B	C	kg
38,1	80	56,3	21	0,8

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine



Kuglični ležaj Ball Bearing


W 208PPB16

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL W 208PPB16

JOHN DEERE AE46606

9373




Osnovne mere/Dimensions (mm)

a	D	B	C	kg
31,78	80	36,5	18	0,67

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine



Kuglični ležaj Ball Bearing


W 208PP16



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	W 208PP16
JOHN DEERE	JD9373
	AE46606

Ležajevi kombajna
Combine Solutions



Osnovne mere/Dimensions (mm)

a	D	B	C	kg
31,78	80	36,5	18	0,67

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine





Ležajna jedinica Bearing Unit

UYZ 205 2S.H

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	UYZ 205 2S.H
NEW HOLLAND	9514667
	89514667



Osnovne mere/Dimensions (mm)

d	L	J	B	C	kg
25	97	76,2	34,5	31	0,5

Potencijalno mesto ugradnje i primena:
Typical Applications:

Kombajn
Combine



Ležajna jedinica Bearing Unit


LESN 210 2F



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	LESN 210 2F
SKF	SYJ 50 TF

Univerzalna rešenja
Universal Solutions



Osnovne mere/Dimensions (mm)

d	L	J	H	H ₁	N	N ₁	B	C	kg
50	206	151-164	113,2	22	26,5	20	58	38	2,74

Potencijalno mesto ugradnje i primena:
Typical Applications:

Poljoprivredne mašine
Agricultural Machinery

Specifičnosti/Specificity

Materijal kućišta: nodularni liv/Housing material: ductile iron




Ležajna jedinica ARMOR

Bearing Unit ARMOR

LEFG 210 TDT

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	LEFG 210 TDT
FAG	UCF 210
SKF	FYJ 50TF



Osnovne mere/Dimensions (mm)

Oznaka/Designation	d	A ₁	A ₂	J	L	N	A	Masa/Mass kg
LEFG 207 TDT	35	34	13	92	118	14	44,4	1,45
LEFG 208 TDT	40	36	14	102	130	16	51,2	1,95
LEFG 209 TDT	45	38	16	105	137	16	52,2	2,41
LEFG 210 TDT	50	40	16	111	143	16	54,6	2,78
LEFG 212 TDT	60	48	19	143	175	19	68,5	4,64


Potencijalno mesto ugradnje i primena:

Typical Applications:

Poljoprivredne mašine
Agricultural Machinery


Specifičnosti/Specificity

Materijal kućišta: nodularni liv/Housing material: ductile iron
Zaptivanje: dupla troujna zaptivka/Sealing: double triple lip




Ležajna jedinica Bearing Unit

LEFN 210 2TC



UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	LEFN 210 2TC
SKF	FYJ 50 TF
FAG	UCF 210



Osnovne mere/Dimensions (mm)

d	L	J	N	B	C	kg
50	143	111	16	54,6	38	2,8

Poljoprivredne mašine
Agricultural Machinery

Potencijalno mesto ugradnje i primena:
Typical Applications:

Specifičnosti/Specificity

Petousna zaptivka/Five-lip sealing

Materijal kućišta: nodularni liv/Housing material: ductile iron

Zaštitna metalna kapa/Protective metal cap




Potisni ležaj

Clutch Release Bearing

60Z45

UPOREDNE OZNAKE COMPARATIVE DESIGNATION

FKL	60Z45
SKF	60Z45
FAG	60Z45
INA	60Z45
F&S	1863010



Osnovne mere/Dimensions (mm)

d	D	B	kg
45	76,6	23	0,35

Potencijalno mesto ugradnje i primena:
 Typical Applications:

Traktori DEUTZ, FENDT
 Tractors DEUTZ, FENDT



Uporedne oznake

Interchange List

Lista ležajeva za tanjirače

Disc Harrows Ball Bearings List

Lista distributera

Distributors List

www.fkl-serbia.com

Uporedne oznake/Interchange list for FKL Y - bearings and bearing units

	FKL	SKF	FAG	INA	NSK	NTN	KOYO
	UES	SYJ.RM	-	PASEY	UBP	ASP	SBP
	LES	SYJ.TF	SG562	RASEY	UCP	UCP	UCP
	UYS	SYJ.FM	SG162	PASE	ENP	-	SAP
	LYS	SYJ.WF	SG362.B	RASE	EWP	UEL	NAP
	USS	-	SG762.B	-	-	-	-
	LKS	SYJ.KF	-	-	UKP	UKP	UKP
	UEV	SYFJ.RM	-	-	UBPA	ASUP	SBPA
	LEV	SYFJ.TF	-	-	UCPA	UCUP	UCPA
	UYV	SYFJ.FM	-	-	-	AELUP	SAPA
	LYV	SYFJ.WF	-	-	EWPA	UELUP	NAPA
	USV	-	-	-	-	-	-
	LKV	SYFJ.KF	-	-	UKPA	UKUP	UKPA
	UEU	SYF.RM	-	PSHEY	-	-	-
	LEU	SYF.TF	-	RSHEY	-	-	-
	UYU	SYF.FM	-	PSHE	-	-	-
	LYU	SYF.WF	-	RSHE	-	-	-
	USU	-	-	-	-	-	-
	LKU	SYF.KF	-	-	-	-	-
	UEF	FYJ.RM	-	PCJY	UBF	ASF	SBF
	LEF	FYJ.TF	FG562	RCJY	UCF	UCF	UCF
	UYF	FYJ.FM	FG162	PCJ	-	AELF	SAF
	LYF	FYJ.WF	FG362.B	RCJ	EW	UEL	NAF
	USF	-	FG762.B	-	-	-	-
	LKF	FYJ.KF	-	-	UKF	UKF	UKF
	UEN	FYTJ.RM	-	PCJTY	UBFL	ASFL	SBFL
	LEN	FYTJ.TF	-	RCJTY	UCLF	UCFL	UCFL
	UYN	FYTJ.FM	-	PCJT	-	AELFL	SAFL
	LYN	FYTJ.WF	-	RCJT	EWFL	UELFL	NAFL
	USN	-	-	-	-	-	-
	LKN	FYTJ.KF	-	-	UKFL	UKFL	UKFL
	UEG	FYC.RM	-	-	UBFC	ASFC	SBFC
	LEG	FYC.TF	-	-	UCFC	UCFC	UCFC
	UYG	FYC.FM	-	-	-	AELFC	-
	LYG	FYC.WF	-	RFE	EWFC	UELFC	NAFC
	USG	-	-	-	-	-	-
	LKG	FYC.KF	-	-	UKFC	UKFC	UKFC
	UET	TU.RM	-	-	UBT	AST	SBT
	LET	TU.TF	-	-	UCT	UCT	UCT
	UYT	TU.FM	-	PTUE	ENT	AELT	SAT
	LYT	TU.WF	-	RTUE	EWT	UET	NAT
	UST	-	-	-	-	-	-
	LKT	TU.KF	-	-	UKT	UKT	UKT
	UEC	PF.RM	-	RAY	UBPF	ASPF	SBPF
	LEC	PF.TF	FB562	RRY	-	-	-
	UYC	PF.FM	FB162	RA	ENPF	AELPF	SAPF
	LYC	PF.WF	FB362.B	RR	-	-	-
	USC	-	FB762.B	-	-	-	-
	LKC	-	-	-	-	-	-
	UED	PFD.RM	-	RATRY	-	-	-
	LED	PFD.TF	-	RRTRY	-	-	-
	UYD	PFD.FM	-	RATR	-	-	-
	LYD	PFD.WF	-	RRTR	-	-	-
	USD	-	-	-	-	-	-
	LKD	-	-	-	-	-	-
	UEP	PFT.RM	-	RATY	UBPFL	ASPFL	SBPFL
	LEP	PFT.TF	-	RRTY	ENPFL	-	-
	UYP	PFT.FM	-	RAT	-	AELPFL	SAPFL
	LYP	PFT.WF	-	RRT	-	-	-
	USP	-	-	-	-	-	-
	LKP	-	-	-	-	-	-
	UER	P.RM	-	PBY	UBPP	ASPP	SBPP
	LER	P.TF	-	-	-	-	-
	UYR	P.FM	SB162	PB	ENPP	AELPP	SAPP
	LYR	P.WF	-	-	-	-	-
	USR	-	SB762.B	-	-	-	-
	LKR	-	-	-	-	-	-

FKL	UE
SKF	YAT
FAG	-
INA	GAY.
NSK	NPPB
NTN	UB
KOYO	SB



FKL	LE
SKF	YAR
FAG	562
INA	GYE.
NSK	KRRB
NTN	UC
KOYO	UC



FKL	UY
SKF	YET
FAG	162
INA	GRAE.
NSK	NPPB
NTN	EN
KOYO	SA



FKL	LY
SKF	YEL
FAG	362.B
INA	GE.KRRB
NSK	EW
NTN	UEL
KOYO	NA



FKL	US
SKF	17262
FAG	762.B
INA	-
NSK	CS
NTN	CS
KOYO	-



FKL	LS
SKF	YFE
FAG	-
INA	-
NSK	-
NTN	-
KOYO	-



FKL	UK
SKF	3620
FAG	-
INA	-
NSK	-
NTN	-
KOYO	-



FKL	LK
SKF	YSA
FAG	-
INA	-
NSK	UK
NTN	UK
KOYO	UK




KUGLIČNI LEŽAJEVI ZA TANJIRAČE/BALL BEARINGS FOR DISC HARROW MACHINES

LEŽAJNE JEDINICE/BEARING UNITS

Unutra.prs./Inner Ring




OKRUGLI OTVOR
ROUND BORE



Trajno podmazani/Permanently Lubricated




Cilindričan spojašmk prst./Cylindrical Outer Ring




Sferni spoljašnji prsten/Spherical Outer Ring

Sa otvorom za podmazivanje/With Lubrication Groove



Cilindrični spoljni prsten/Cylindrical Outer Ring



Sferni spoljni prsten/Spherical Outer Ring

203KRR3	15,95	50,5	15	15	C
208KRR4	38,89	80	27,5	21	C
W208PP4	30,17	80	30,18	30,18	C
W208PP7	30,17	80	30,18	18	C
W208PP10	38,11	80	42,85	21	C
W210PP8	38,86	90	30,18	30,18	C
W211PP2	55,58	100	33,34	33,34	C


W208PPB4	30,17	80	30,18	30,18	C
W208PPB7	30,17	80	30,18	18	C
W208PPB23	38,11	80	42,96	30,18	C
W209PPB2	45	85	30,18	30,18	C
W209PPB4	39	85	30,18	30,18	C
W208PPB11	45,24	85	36,53	22	C
W210PPB2	49,23	90	30,18	30,18	C
W210PPB5	45,34	90	30,18	30,18	C
W211PPB2	55,58	100	33,34	33,34	C

GW209PPB30	44,958	88,7	42,86	31,75	C
GW210PP9	49,40	90	36,53	23	C
GW211PP2	55,58	100	33,34	33,34	C
GW211PP4	42,16	100	33,34	33,34	C
GW211PP9	55,75	100	39,69	25	C
GW211PP13	45,34	100	33,34	25	C
GW211PP25	51,31	100	60,3	33,34	C
GW211PP202	45,21	100	44,5	33,34	C
GW211PPB21	45,212	101,067	53,97	36,525	C

GW209PPB2	45	85	30,18	30,18	C
GW209PPB4	39	85	30,18	30,18	C
GW209PPB11	45,24	85	36,53	22	C
GW209PPB12	44,83	85	42,85	22	C
GW209PPB13	45,24	85	36,53	30,1	C
GW209PPB28	38,11	85	42,85	22	C
GW209PPB40	40	85	42,85	22	C
GW210PPB2	49,23	90	30,18	30,18	C
GW210PPB5	45,34	90	30,18	30,18	C
GW211PPB2	55,58	100	33,34	33,34	C
GW211PPB8	55,58	100	33,34	25	C
GW211PPB9	55,75	100	39,69	25	C
GW211PPB10	49,23	100	33,34	33,34	C
GW211PPB13	45,34	100	33,34	25	C
GW211PPB14	51,18	100	33,34	25	C
GW211PPB15	55,58	100	55,55	25	C
GW211PPB15X1	55,57	100	55,55	25	C
GW211PPB16	55,58	100	40	25	C
GW211PPB20	55,7	100	39,7	33,4	C

GWST209PPB12	44,831	127	42,85	40	A
GWST209PPB25	25	127	42,85	39	A
GWST209PPB38	38,11	127	42,85	39	A
GWST209PPB40	40	127	42,85	40	A
GWST211PPB15	55,58	140	55,55	44,7	A
LSST 211 X3-3	55	140	55	44,7	A

KVADRAT OTVOR
SQUARE BORE




W207PP3	25	72	45	24	C
W208PP5	31,8	80	36,53	18	C
W208PP6	25,4	80	36,53	18	C
W208PP8	28,6	80	36,53	30,18	C
W208PP20	28,6	80	36,53	18	C
W209PP3	30	85	45	30,18	C
W210PP4	28,6	90	30,18	30,18	C
W211PP3	38,1	100	33,34	33,34	C
W211PP5	38,1	101,6	44,45	36,52	C
W208PPB5	28,6	87,34	36,53	30,18	C
W209PPB7	31,8	87,34	36,53	30,18	C
W209PPB8	31,8	85	36,53	19	C
W209PPB25	25	90	45	29	C
W209PPB30	30	90	45	29	C
W210PPB4	28,6	90	30,18	30,18	C
W210PPB6	28,6	90	36,53	30,18	C
W211PPB3	38,1	100	33,34	33,34	C
W211PPB5	38,1	104,77	44,45	36,53	C
W211PPB6	38,1	103,56	44,45	36,53	C

GW208PP17	28,6	85,74	36,53	30,18	C
GW210PP4	28,6	90	30,18	30,18	C
GW211PP3	38,1	100	33,34	33,34	C
GW211PP17	38,1	100	44,45	33,34	C
GW209PPB3	30	85	45	30,18	C
GW209PPB3X1	30	85	36,5	30,2	C
GW209PPB3X2	25	85	45	30,2	C
GW209PPB5	31,8	85	36,53	30,18	C
GW209PPB8	31,8	85	36,53	22	C
GW209PPB26	25	85	42,85	22	C
GW209PPB29	32,8	85	42,85	22	C
GW209PPB32	30	85	45	22	C
GW210PPB4	28,6	90	30,18	30,18	C
GW211PPB3	38,1	100	33,34	33,34	C
GW211PPB40	40,5	100	45	25	C
GW211PPB40X1	39,25	100	55,55	25	C
GW211PPB40X2	35	100	55,55	25	C
GW211PPB40X3	40,5	100	55,55	25	C
GW211PPBJ40	40,5	100	45	25	C

GWST 209PPB26	25	127	42,85	40	A
GWST 209PPB31	30	127	42,85	40	A
GWST 209PPB3	30	127	45	40	A
GWST209PPB28	30	127	42,85	39	A
GWST209PPB29	32,8	127	42,85	39	A
GWST209PPB32	30	127	45	39	A
GWST211PPB39	38,9	140	33,34	44,7	A
GWST 211PPB40	40,5	140	45	44,7	A
GWST 211PPB40.X1	39,25	140	55,55	44,7	A
GWST 211PPB40.X2	35	140	55,55	44,7	A
GWST211PPB43	40,5	140	55,55	44,7	A
GWST211PPBJ40	40,5	140	45	44,7	A
GWST211PPBP40	40,5	140	45	44,7	A
GWST211PPBP40X3	40,5	140	55,55	44,7	A

ŠESTOUGAONI OTVOR
HEXAGONAL BORE



205PP13	22,25	52	25,4	15	C
205KRR2	22,25	52	25,4	15	C
205KRR2	22,25	52	25,4	15	C
205KRRB2	22,25	52	25,4	15	C
205PPB13	22,25	52	25,4	15	C
206KRR6	25,43	62	24	16	C
206KRRB3	25,43	62	24	16	C
206KRRB6	25,43	62	24	16	C
207KRR17	31,77	72	37,7	17	C
207KRRB17	31,77	72	25	17	C
207KRRB31	31,78	72	38	19	C
207KRRB9	28,6	72	37,7	17	C
207KRRB12	28,6	72	25	17	C
207KRRB12C19	28,6	72	25	19	C
207KRRB17	31,77	72	25	17	C
W208PPB16	31,77	80	36,53	18	C
209KRRB2	38,12	85	30	19	C

G206KRRB6	25,43	62	24	18	C
-----------	-------	----	----	----	---

FKL Disrtibuteri/*FKL Distributors*

LLC FKL RUSSIA, Russia
www.rusfkl.ru

LLC FKL UKRAINE, Ukraine
www.fkl.ua

FKL BY, Belorussia
www.fkl.by

LLC LD TRADE, Kazakhstan
www.fkl.kz

AC AGROCENTAR DOO, Slovenia
www.agrocenter-sempeter.eu

AGLINK, New Zeland
www.aglink.co.nz

AGRO-ROLL 96 KFT, Hungary
www.agroroll.hu

AGRO AUTO, Montenegro
www.agro-auto.com

BEARING WAREHOUSE LTD, UK/Ireland
www.bearingwarehouse.co.uk

COMPENSA, Austria
www.compesa.at

EKOAL, Bulgaria
www.ekoalbg.com

EL MASRIA FOR TRADING, Egypt
www.elmasria.org

FARMS&GARDENS SI, Spain
www.farmsgardens.com

FKL CZECH, Czech Republic/Slovakia
www.fkl-czech.cz

FKL POLSKA, Poland
www.fkl-polska.pl

GORIMPEX, Montenegro

HAGOP GIRAGOS, Syria

IWAH, The Netherlands/Benelux Countries
www.iwahbearings.com

JOSMAR, Spain/Portugal
www.rodamientosjosmar.com

KOUIMTZIS SA, Greece
www.kouimtzis.gr

LAUDORTS LTD, Latvia
www.laudorts.lv

MODUATOR AS, Estonia
www.moduator.ee

POLJOKOMERC, Bosnia and Herzegovina

ROLLING SRL, Romania
www.rollingsystem.ro

SC GEEN LAND SRL, Romania
www.greenland.com.ro

SE-KRA DOO, Croatia
www.se-kra.hr

SISA OTOMOTIV DIS TICARET LTD, Iraq

SRL ROMANCIUC ROMA SI CO, Moldova

TAKTOR DOO, Slovenia

TEMKO DOO, Macedonia

TIVI GROUP LTD, Bulgaria
www.tivigroup.com

UAB IGNERA, Lithuania
www.ignera.lt

VIDRA DOO, Bosnia and Herzegovina
www.vidra.ba

VULIN DOO, Bosnia and Herzegovina

AGROMARKET DOO, Serbia
www.agromarket021.com

JUSEL DOO, Serbia
www.jusel.com

LAGERTON DOO, Serbia
www.lagerton.com

MARKOM DOO, Serbia

METRO DOO, Serbia
www.metro-doo.com

NEPTUN DOO, Serbia

SAGAL DOO, Serbia
www.sagal.co.rs

SET TRADE N&N DOO, Serbia

TENEJ DOO, Serbia
www.tenej.com

VELE-GRAM DOO, Serbia

ŽIVKO&SINOVI DOO, Serbia
www.zivko.co.rs



KATALOG
CATALOGUE

Izdanje
Decembar 2016.
Edition
2016 December

Fabrika kotrljajućih ležajeva i kardana
Factory of Rolling Bearings and Cardan Shafts

Industrijska zona bb
21235 Temerin
SERBIA

Head of Sales +381 21 6841 222
Foreign Markets +381 21 6841 190
+381 21 6841 205
+381 21 6841 201

E-mail sales@fkl-serbia.com

Šef prodaje +381 21 6841 222
Domaća prodaja +381 21 6841 187

E-mail prodaja@fkl-serbia.com
marketing@fkl-serbia.com

www.fkl-serbia.com

Copyright © 2016 FKL

Sadržaj ove publikacije je zaštićeno autorsko pravo izdavača i ne može se reprodukovati (ni u izvodima), dok se ne dobije odgovarajuća dozvola. Sva je moguća pažnja preduzeta da se osigura tačnost i ispravnost informacija, koje sadrži ova publikacija, ali se ne može prihvatiti nikakva odgovornost za bilo kakvu grešku ili propust.

Pripremljeno u Fabrici kotrljajućih ležajeva i kardanskih vratila Temerin, Republika Srbija

Copyright © 2016 FKL. All rights reserved.

These contents are the copyright of the publisher and may not be reproduced, in total or partially, without express consent of the publisher. Every precautions were taken to ensure the accuracy of the information in this publication but no liability can be accepted for any errors or omissions.

Prepared in Factory of rolling bearings and cardan shafts Temerin, Serbia