



SAMPLE PART # : 3V1060

STANDARD V-BELTS

3V SECTION : 3/8"W x 5/16"H

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
3V250	25	.10
3V265	26.5	.11
3V280	28	.11
3V300	30	.12
3V315	31.5	.13
3V335	33.5	.13
3V355	35.5	.14
3V375	37.5	.15

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
3V400	40	.16
3V425	42.5	.17
3V450	45	.18
3V475	47.5	.19
3V500	50	.20
3V530	53	.21
3V560	56	.22
3V600	60	.24

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
3V630	63	.25
3V670	67	.27
3V710	71	.28
3V750	75	.30
3V800	80	.32
3V830	83	.33
3V850	85	.34
3V900	90	.36

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
3V950	95	.38
3V1000	100	.40
3V1060	106	.42
3V1120	112	.45
3V1180	118	.47
3V1250	125	.50
3V1320	132	.53
3V1400	140	.56

SAMPLE PART # : 5V900

STANDARD V-BELTS

5V SECTION : 5/8"W x 17/32"H

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
5V500	50	.55
5V530	53	.58
5V560	56	.62
5V600	60	.66
5V630	63	.69
5V670	67	.74
5V710	71	.78
5V750	75	.83
5V800	80	.88

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
5V850	85	.94
5V900	90	.99
5V950	95	1.05
5V1000	100	1.10
5V1060	106	1.17
5V1080	108	1.19
5V1120	112	1.23
5V1180	118	1.30
5V1250	125	1.38

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
5V1320	132	1.45
5V1400	140	1.54
5V1500	150	1.65
5V1600	160	1.76
5V1700	170	1.87
5V1800	180	1.98
5V1900	190	2.09
5V2000	200	2.20
5V2120	212	2.33

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
5V2240	224	2.46
5V2360	236	2.60
5V2500	250	2.75
5V2650	265	2.92
5V2800	280	3.08
5V3000	300	3.30
5V3150	315	3.47
5V3350	335	3.85
5V3550	355	3.91

SAMPLE PART # : 8V2800

STANDARD V-BELTS

8V SECTION : 1"W x 7/8"H

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
8V1000	100	3.20
8V1060	106	3.39
8V1120	112	3.58
8V1180	118	3.78
8V1250	125	4.00
8V1320	132	4.22
8V1400	140	4.48
8V1500	150	4.80

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
8V1600	160	5.12
8V1700	170	5.44
8V1800	180	5.76
8V1900	190	6.08
8V2000	200	6.40
8V2120	212	6.78
8V2240	224	7.17
8V2360	236	7.55

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
8V2500	250	8.00
8V2650	265	8.48
8V2800	280	8.96
8V3000	300	9.60
8V3150	315	10.08
8V3350	335	10.72
8V3550	355	11.36
8V3750	375	12.00

PART NO.	OUTSIDE LENGTH (IN)	WEIGHT (LBS)
8V4000	400	12.80
8V4250	425	13.60
8V4500	450	14.40
8V5000	500	16.00
8V5600	560	17.92
8V6000	600	19.20

HAVE ANY QUESTIONS? CONTACT CUSTOMER SERVICE

800-292-6081

INFO@OPTIBELT-USA.COM

S=C Length Tolerances

Standard on all OPTIBELT single V-belts and Wedge belts 47" in length and above. S=C Plus V-belts are always superior to a matched-set regardless of the date manufactured. Not available on aramid cord, banded or cogged belts.

Custom Sizes & Ordering

Section / Max. Mfg Lengths / Min. qty.

- 3V / 157 in. / 40
- 5V / 475 in. / 25
- 8V / 708 in. / 14

Contact customer service for details.

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

All weights are estimated.

Additional sizes and stocking available.



optibelt SK
V-BELTS, SINGLE

SPZ & SPA SECTIONS
S=C PLUS LENGTH TOLERANCES

SK
METRIC V-BELTS

SPZ SECTION : 9.7mm W x 8mm H

METRIC V-BELTS

SAMPLE PART # : SPZ1537

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPZ487	487	.08
SPZ512	512	.08
SPZ562	562	.09
SPZ587	587	.09
SPZ612	612	.10
SPZ630	630	.10
SPZ637	637	.10
SPZ662	662	.11
SPZ670	670	.11
SPZ687	687	.11
SPZ710	710	.12
SPZ722	722	.12
SPZ737	737	.12
SPZ750	750	.12
SPZ762	762	.12
SPZ772	772	.13
SPZ787	787	.13
SPZ800	800	.13
SPZ812	812	.13
SPZ825	825	.13
SPZ837	837	.14
SPZ850	850	.14
SPZ862	862	.14
SPZ875	875	.14
SPZ887	887	.15
SPZ900	900	.15

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPZ912	912	.15
SPZ925	925	.15
SPZ937	937	.15
SPZ950	950	.15
SPZ962	962	.16
SPZ987	987	.16
SPZ1000	1000	.16
SPZ1012	1012	.17
SPZ1024	1024	.17
SPZ1037	1037	.17
SPZ1047	1047	.17
SPZ1060	1060	.17
SPZ1077	1077	.18
SPZ1087	1087	.18
SPZ1112	1112	.18
SPZ1120	1120	.18
SPZ1137	1137	.18
SPZ1162	1162	.19
SPZ1180	1180	.19
SPZ1187	1187	.19
SPZ1202	1202	.20
SPZ1212	1212	.20
SPZ1237	1237	.20
SPZ1250	1250	.20
SPZ1262	1262	.20
SPZ1287	1287	.21

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPZ1312	1312	.21
SPZ1320	1320	.22
SPZ1337	1337	.22
SPZ1347	1347	.22
SPZ1362	1362	.22
SPZ1387	1387	.23
SPZ1400	1400	.23
SPZ1412	1412	.23
SPZ1437	1437	.23
SPZ1462	1462	.24
SPZ1487	1487	.24
SPZ1500	1500	.24
SPZ1512	1512	.25
SPZ1537	1537	.25
SPZ1562	1562	.26
SPZ1587	1587	.26
SPZ1600	1600	.26
SPZ1612	1612	.26
SPZ1637	1637	.27
SPZ1650	1650	.27
SPZ1662	1662	.27
SPZ1687	1687	.28
SPZ1700	1700	.28
SPZ1737	1737	.28
SPZ1762	1762	.29
SPZ1787	1787	.29

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPZ1800	1800	.29
SPZ1812	1812	.29
SPZ1837	1837	.30
SPZ1850	1850	.30
SPZ1862	1862	.30
SPZ1887	1887	.31
SPZ1900	1900	.31
SPZ1937	1937	.31
SPZ1987	1987	.32
SPZ2000	2000	.33
SPZ2037	2037	.33
SPZ2120	2120	.35
SPZ2137	2137	.35
SPZ2187	2187	.36
SPZ2240	2240	.37
SPZ2287	2287	.37
SPZ2360	2360	.39
SPZ2500	2500	.41
SPZ2650	2650	.43
SPZ2800	2800	.46
SPZ3000	3000	.49
SPZ3150	3150	.51
SPZ3350	3350	.55
SPZ3550	3550	.58

SPZ DATUM LENGTH +13mm = OUTSIDE LENGTH

SPA SECTION : 12.7mm W x 10mm H

METRIC V-BELTS

SAMPLE PART # : SPA1107

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA707	707	.19
SPA732	732	.20
SPA757	757	.20
SPA782	782	.21
SPA800	800	.22
SPA807	807	.22
SPA832	832	.22
SPA850	850	.23

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA857	857	.23
SPA882	882	.24
SPA900	900	.24
SPA907	907	.25
SPA932	932	.25
SPA950	950	.26
SPA957	957	.26
SPA982	982	.27

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA1000	1000	.27
SPA1007	1007	.27
SPA1032	1032	.28
SPA1060	1060	.29
SPA1082	1082	.29
SPA1107	1107	.30
SPA1120	1120	.30
SPA1132	1132	.31

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA1157	1157	.31
SPA1180	1180	.32
SPA1207	1207	.33
SPA1232	1232	.33
SPA1250	1250	.34
SPA1257	1257	.34

SPA SECTIONS CONT. PG 25

SPA DATUM LENGTH +18mm = OUTSIDE LENGTH

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

All weights are estimated.

Additional sizes and stocking available.

Custom Sizes & Ordering

Section / Max. Mfg Lengths / Min. qty.

- SPZ / 4,500 mm / 20
- SPA / 4,500 mm / 31

Contact customer service for details.

S=C Length Tolerances

Standard on all OPTIBELT single V-belts and Wedge belts 47" in length and above. S=C Plus V-belts are always superior to a matched-set regardless of the date manufactured. Not available on aramid cord, banded or cogged belts.

SPA & SPB SECTIONS

S=C PLUS LENGTH TOLERANCES

optibelt SK

V-BELTS, SINGLE



METRIC V-BELTS SK

SAMPLE PART # : SPA2607

METRIC V-BELTS

SPA SECTION : 12.7mm W x 10mm H

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA1272	1272	.34
SPA1282	1282	.35
SPA1307	1307	.35
SPA1320	1320	.36
SPA1332	1332	.36
SPA1357	1357	.37
SPA1382	1382	.37
SPA1400	1400	.38
SPA1407	1407	.38
SPA1432	1432	.39
SPA1457	1457	.39
SPA1482	1482	.40
SPA1500	1500	.41
SPA1507	1507	.41
SPA1532	1532	.41
SPA1557	1557	.42
SPA1582	1582	.43
SPA1600	1600	.43
SPA1607	1607	.44
SPA1632	1632	.44
SPA1657	1657	.45

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA1682	1682	.46
SPA1700	1700	.46
SPA1707	1707	.46
SPA1732	1732	.47
SPA1757	1757	.48
SPA1782	1782	.48
SPA1800	1800	.49
SPA1807	1807	.49
SPA1832	1832	.50
SPA1857	1857	.50
SPA1882	1882	.51
SPA1900	1900	.51
SPA1907	1907	.52
SPA1932	1932	.52
SPA1957	1957	.53
SPA1982	1982	.54
SPA2000	2000	.54
SPA2032	2032	.55
SPA2057	2057	.56
SPA2082	2082	.56
SPA2120	2120	.57

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA2132	2132	.58
SPA2182	2182	.59
SPA2207	2207	.60
SPA2232	2232	.61
SPA2240	2240	.61
SPA2282	2282	.62
SPA2300	2300	.62
SPA2307	2307	.62
SPA2332	2332	.63
SPA2360	2360	.64
SPA2382	2382	.64
SPA2432	2432	.66
SPA2482	2482	.67
SPA2500	2500	.68
SPA2532	2532	.68
SPA2582	2582	.70
SPA2607	2607	.71
SPA2632	2632	.71
SPA2650	2650	.72
SPA2682	2682	.73
SPA2732	2732	.74

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPA2782	2782	.75
SPA2800	2800	.76
SPA2832	2832	.77
SPA2847	2847	.77
SPA2882	2882	.78
SPA2932	2932	.79
SPA2982	2982	.81
SPA3000	3000	.81
SPA3032	3032	.82
SPA3082	3082	.83
SPA3150	3150	.85
SPA3182	3182	.86
SPA3282	3282	.89
SPA3350	3350	.91
SPA3382	3382	.92
SPA3550	3550	.96
SPA3750	3750	1.01
SPA4000	4000	1.08
SPA4250	4250	1.15
SPA4500	4500	1.22

SPA DATUM LENGTH +18mm = OUTSIDE LENGTH

SAMPLE PART # : SPB1600

METRIC V-BELTS

SPB SECTION : 16.3mm W x 13mm H

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPB1250	1250	.54
SPB1320	1320	.57
SPB1400	1400	.60
SPB1450	1450	.62
SPB1500	1500	.64
SPB1600	1600	.69
SPB1700	1700	.73
SPB1750	1750	.75
SPB1800	1800	.77
SPB1850	1850	.79
SPB1900	1900	.82

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPB2000	2000	.86
SPB2020	2020	.87
SPB2060	2060	.88
SPB2120	2120	.91
SPB2180	2180	.94
SPB2240	2240	.96
SPB2360	2360	1.01
SPB2500	2500	1.07
SPB2650	2650	1.14
SPB2800	2800	1.20
SPB2850	2850	1.22

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPB2900	2900	1.25
SPB3000	3000	1.29
SPB3150	3150	1.35
SPB3250	3250	1.39
SPB3350	3350	1.44
SPB3450	3450	1.48
SPB3550	3550	1.52
SPB3650	3650	1.57
SPB3750	3750	1.61
SPB4000	4000	1.72
SPB4250	4250	1.82

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPB4500	4500	1.93
SPB4750	4750	2.04
SPB5000	5000	2.15
SPB5300	5300	2.27
SPB5600	5600	2.40
SPB6000	6000	2.57
SPB6300	6300	2.70
SPB6700	6700	2.88
SPB7100	7100	3.05
SPB7500	7500	3.22
SPB8000	8000	3.43

SPB DATUM LENGTH +22mm = OUTSIDE LENGTH



NEED METRIC SHEAVES? SEE PAGE 124-132



S=C Length Tolerances

Standard on all OPTIBELT single V-belts and Wedge belts 47" in length and above. S=C Plus V-belts are always superior to a matched-set regardless of the date manufactured. Not available on aramid cord, banded or cogged belts.

Sizes & Ordering

Section / Max. Mfg Lengths / Min. qty.

- SPA / 4,500 mm / 31
- SPB / 18,000 mm / 25

Contact customer service for details.

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

All weights are estimated.

Additional sizes and stocking available.



SAMPLE PART # : SPC4750

METRIC V-BELTS

SPC SECTION : 22mm W x 18mm H


PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPC2000	2000	1.66
SPC2120	2120	1.76
SPC2240	2240	1.86
SPC2360	2360	1.96
SPC2500	2500	2.07
SPC2650	2650	2.20
SPC2800	2800	2.32
SPC3000	3000	2.49

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPC3150	3150	2.61
SPC3350	3350	2.78
SPC3550	3550	2.94
SPC3750	3750	3.11
SPC4000	4000	3.32
SPC4250	4250	3.52
SPC4500	4500	3.73
SPC4750	4750	3.94

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPC5000	5000	4.15
SPC5300	5300	4.40
SPC5600	5600	4.64
SPC6000	6000	4.98
SPC6300	6300	5.23
SPC6700	6700	5.56
SPC7100	7100	5.89
SPC7500	7500	6.22

PART NO.	DATUM LENGTH (MM)	WEIGHT (LBS)
SPC8000	8000	6.64
SPC8500	8500	7.05
SPC9000	9000	7.46
SPC9500	9500	7.88
SPC10000	10000	8.29
SPC10600	10600	8.79
SPC11200	11200	9.29
SPC12500	12500	10.37

SPC DATUM LENGTH +30mm = OUTSIDE LENGTH



NEED METRIC SHEAVES?

124 KS SHEAVES, METRIC

- 124-125 SECTIONS: SPZ/10
- 126-127 SECTIONS: SPA/13
- 128-130 SECTIONS: SPB/17
- 131-132 SECTIONS: SPC/22

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

All weights are estimated.

Additional sizes and stocking available upon request

Sizes & Ordering

Section / Max. Mfg Lengths / Min. qty.

- SPC / 21,000 mm / 16

Contact customer service for details.

S=C Length Tolerances

Standard on all OPTIBELT single V-belts and Wedge belts 47" in length and above. S=C Plus V-belts are always superior to a matched-set regardless of the date manufactured. Not available on aramid cord, banded or cogged belts.