


15. BEARING UNITS AND BEARING HOUSINGS


15.6. Cast-iron bearings units with insert ball bearings – type – UCT



12 – 80 mm



Shaft [mm]	Unit No.	Dimensions [mm]															
		d	R	G	P	Q	S	H2	K	E	A	H	J	L	H1	B	F
12	UCT201	12	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
15	UCT202	15	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
17	UCT203	17	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
20	UCT204	20	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
25	UCT205	25	16	10	51	32	19	51	12	76	89	97	32	24	62	34,1	14,3
	UCTX05	25	16	12	56	37	22	57	12	89	102	113	37	28	70	38,1	15,9
	UCT305	25	16	14	62	36	26	65	12	80	89	122	36	26	76	38	15
30	UCT206	30	16	10	56	37	22	57	12	89	102	113	37	28	70	38,1	15,9
	UCTX06	30	16	15	64	37	22	64	12	89	102	129	37	30	78	42,9	17,5
	UCT306	30	18	16	70	41	28	74	16	90	100	137	41	28	85	43	17
35	UCT207	35	16	13	64	37	22	64	12	89	102	129	37	30	78	42,9	17,5
	UCTX07	35	19	17	83	49	29	83	16	102	114	144	49	36	88	49,2	19
	UCT307	35	20	17	75	45	30	80	16	100	111	150	45	32	94	48	19
40	UCT208	40	19	16	83	49	29	83	16	102	114	144	49	35	89	49,2	19
	UCTX08	40	19	17	83	49	29	83	16	102	117	144	49	36	87	49,2	19
	UCT308	40	22	19	83	50	32	89	18	112	124	162	50	34	100	52	19
45	UCT209	45	19	16	83	49	29	83	16	102	117	144	49	35	87	49,2	19
	UCTX09	45	19	18	83	49	29	86	16	102	117	151	49	38	92	51,6	19
	UCT309	45	24	20	90	55	34	97	18	125	138	178	55	38	110	57	22
50	UCT210	50	19	16	83	49	29	86	16	102	117	149	49	35	90	51,6	19
	UCTX10	50	25	21	102	64	35	95	22	130	146	171	64	42	106	55,6	22,2
	UCT310	50	27	22	98	61	37	106	20	140	151	192	61	40	118	61	22
55	UCT211	55	25	19	102	64	35	95	22	130	146	171	64	41	106	55,6	22,2
	UCTX11	55	32	21	102	64	35	102	22	130	146	194	64	44	119	65,1	25,4
	UCT311	55	29	23	105	66	39	115	22	150	163	207	66	44	127	66	25
60	UCT212	60	32	19	102	64	35	102	22	130	146	194	64	46	119	65,1	25,4
	UCTX12	60	32	23	111	70	41	121	26	151	167	224	70	48	137	65,1	25,4
	UCT312	60	31	25	113	71	41	123	22	160	178	220	71	46	135	71	26
65	UCT213	65	32	21	111	70	41	121	26	151	167	224	70	51	137	65,1	25,4
	UCTX13	65	32	23	111	70	41	121	26	151	167	224	70	48	137	74,6	30,2
	UCT313	65	32	27	116	70	43	134	26	170	190	238	80	50	146	75	30
70	UCT214	70	32	21	111	70	41	121	26	151	167	224	70	46	137	74,6	30,2
	UCTX14	70	32	23	111	70	41	121	26	151	167	232	70	48	140	77,8	33,3
	UCT314	70	36	27	130	85	46	140	26	180	202	252	90	52	155	78	33
75	UCT215	75	32	21	111	70	41	121	26	151	167	232	70	48	140	77,8	33,3
	UCTX15	75	32	23	111	70	41	121	28	165	184	235	70	48	140	82,6	33,3
	UCT315	75	36	27	132	85	46	150	26	192	216	262	90	55	160	82	32
80	UCT216	80	32	21	111	70	41	121	26	165	184	235	70	51	140	82,6	33,3
	UCTX16	80	38	30	124	73	48	157	28	173	198	260	73	54	162	85,7	34,1
	UCT316	80	42	30	150	98	53	160	30	204	230	282	102	60	174	86	34



Weight [kg]	Composition		Basic makes*	Equivalent	Unit No.
	bearing	housing			
0,8	UC201	T204	☐	NFB201	UCT201
0,79	UC202	T204	☐	NFB202	UCT202
0,78	UC203	T204	☐	NFB203	UCT203
0,76	UC204	T204	☐	NFB204	UCT204
0,81	UC205	T205	☐	NFB205	UCT205
1,4	UCX05	TX05	☐	-	UCTX05
1,4	UC305	T305	☐	-	UCT305
1,22	UC206	T206	☐	NFB206	UCT206
1,8	UCX06	TX06	☐	-	UCTX06
1,8	UC306	T306	☐	-	UCT306
1,44	UC207	T207	☐	NFB207	UCT207
2,6	UCX07	TX07	☐	-	UCTX07
2,4	UC307	T307	☐	-	UCT307
2,4	UC208	T208	☐	NFB208	UCT208
2,6	UCX08	TX08	☐	-	UCTX08
3	UC308	T308	☐	-	UCT308
2,36	UC209	T209	☐	NFB209	UCT209
2,8	UCX09	TX09	☐	-	UCTX09
4	UC309	T309	☐	-	UCT309
2,43	UC210	T210	☐	NFB210	UCT210
4,3	UCX10	TX10	☐	-	UCTX10
5	UC310	T310	☐	-	UCT310
4,11	UC211	T211	☐	NFB211	UCT211
5,2	UCX11	TX11	☐	-	UCTX11
6,4	UC311	T311	☐	-	UCT311
4,97	UC212	T212	☐	NFB212	UCT212
7,6	UCX12	TX12	☐	-	UCTX12
7,6	UC312	T312	☐	-	UCT312
6,65	UC213	T213	☐	NFB213	UCT213
7,6	UCX13	TX13	☐	-	UCTX13
9,7	UC313	T313	☐	-	UCT313
7,05	UC214	T214	☐	NFB214	UCT214
7,7	UCX14	TX14	☐	-	UCTX14
11	UC314	T314	☐	-	UCT314
7,41	UC215	T215	☐	NFB215	UCT215
7,55	UCX15	TX15	☐	-	UCTX15
14	UC315	T315	☐	-	UCT315
8,3	UC216	T216	☐	NFB216	UCT216
11	UCX16	TX16	☐	-	UCTX16
16	UC316	T316	☐	-	UCT316

* Other products also available




15. BEARING UNITS AND BEARING HOUSINGS

15.6. Cast-iron bearings units with insert ball bearings – type – UCT




85 – 95 mm



Shaft [mm]	Unit No.	Dimensions [mm]															
		d	R	G	P	Q	S	H2	K	E	A	H	J	L	H1	B	F
85	UCT217	85	38	29	124	73	48	157	30	173	198	260	73	54	162	85,7	34,1
	UCTX17	85	38	30	124	73	48	157	28	173	198	260	73	54	162	96	39,7
	UCT317	85	42	32	152	98	53	170	32	214	240	298	102	64	183	96	40
90	UCT318	90	46	32	160	106	57	175	32	228	255	312	110	66	192	96	40
95	UCT319	95	46	33	165	103	57	180	35	240	270	322	110	72	197	103	41

- warehouse - order - phone



Weight [kg]	Composition		Basic makes*	Equivalent	Unit No.
	bearing	housing			
11	UC217	T217	☐	NFB217	UCT217
12	UCX17	TX17	⊖	-	UCTX17
20	UC317	T317	⊖	-	UCT317
22	UC318	T318	⊖	-	UCT318
24	UC319	T319	⊖	-	UCT319

* Other products also available

