










| ISO   | Dimensions (mm) |     |                |      |    |      |                |     |                |                | Basic Load Ratings (N) |          | Weight (kg) |
|-------|-----------------|-----|----------------|------|----|------|----------------|-----|----------------|----------------|------------------------|----------|-------------|
|       | d               | D   | B <sub>1</sub> | B    | C  | S    | d <sub>s</sub> | G   | B <sub>s</sub> | d <sub>3</sub> | Dyn. C                 | Stat. Cg |             |
| SA201 | 12              | 40  | 28,6           | 19,1 | 12 | 6,5  | M6x1           | 4,8 | 13,5           | 28,6           | 7360                   | 4480     | 0,120       |
| SA202 | 15              | 40  | 28,6           | 19,1 | 12 | 6,5  | M6x1           | 4,8 | 13,5           | 28,6           | 7360                   | 4480     | 0,100       |
| SA203 | 17              | 40  | 28,6           | 19,1 | 12 | 6,5  | M6x1           | 4,8 | 13,5           | 28,6           | 7360                   | 4480     | 0,090       |
| SA204 | 20              | 47  | 31             | 21,5 | 14 | 7,5  | M6x1           | 4,8 | 13,5           | 33,3           | 9880                   | 6200     | 0,160       |
| SA205 | 25              | 52  | 31             | 21,5 | 15 | 7,5  | M6x1           | 4,8 | 13,5           | 38,1           | 10780                  | 6980     | 0,200       |
| SA206 | 30              | 62  | 35,7           | 23,8 | 16 | 9    | M8x1           | 6   | 15,9           | 44,5           | 14970                  | 10040    | 0,300       |
| SA207 | 35              | 72  | 38,9           | 25,4 | 17 | 9,5  | M8x1           | 6,8 | 17,5           | 55,6           | 19750                  | 13670    | 0,420       |
| SA208 | 40              | 80  | 43,7           | 30,2 | 18 | 11   | M8x1           | 6,8 | 18,3           | 60,3           | 22710                  | 15940    | 0,600       |
| SA209 | 45              | 85  | 43,7           | 30,2 | 19 | 11   | M8x1           | 6,8 | 18,3           | 63,5           | 24360                  | 17710    | 0,760       |
| SA210 | 50              | 90  | 43,7           | 30,2 | 20 | 11   | M8x1           | 6,8 | 18,3           | 69,9           | 26980                  | 19840    | 0,910       |
| SA211 | 55              | 100 | 48,4           | 32,5 | 21 | 12   | M10x1          | 8   | 20,7           | 76,2           | 33370                  | 25110    | 1,260       |
| SA212 | 60              | 110 | 53,1           | 37,2 | 22 | 13,5 | M10x1          | 8   | 22,3           | 84,2           | 36740                  | 27970    | 1,700       |



| ISO   | Dimensions (mm) |     |      |    |      |                |                |     |  | Basic Load Ratings (N) |          | Weight (kg) |
|-------|-----------------|-----|------|----|------|----------------|----------------|-----|--|------------------------|----------|-------------|
|       | d               | D   | B    | C  | S    | S <sub>1</sub> | d <sub>s</sub> | G   |  | Dyn. C                 | Stat. Cg |             |
| SB201 | 12              | 40  | 22   | 12 | 6    | 16             | M5x0,8         | 4,5 |  | 7360                   | 4480     | 0,100       |
| SB202 | 15              | 40  | 22   | 12 | 6    | 16             | M5x0,8         | 4,5 |  | 7360                   | 4480     | 0,100       |
| SB203 | 17              | 40  | 22   | 12 | 6    | 16             | M5x0,8         | 4,5 |  | 7360                   | 4480     | 0,090       |
| SB204 | 20              | 47  | 25   | 14 | 7    | 18             | M6x1           | 4,5 |  | 9880                   | 6200     | 0,130       |
| SB205 | 25              | 52  | 27   | 15 | 7,5  | 19,5           | M6x1           | 5,5 |  | 10780                  | 6980     | 0,160       |
| SB206 | 30              | 62  | 30   | 16 | 8    | 22             | M6x1           | 6   |  | 14970                  | 10040    | 0,250       |
| SB207 | 35              | 72  | 32   | 17 | 8,5  | 23,5           | M8x1           | 6,5 |  | 19750                  | 13670    | 0,380       |
| SB208 | 40              | 80  | 34   | 18 | 9    | 25             | M8x1           | 7   |  | 22710                  | 15940    | 0,600       |
| SB209 | 45              | 85  | 41,2 | 19 | 10,2 | 31             | M8x1           | 8,2 |  | 24360                  | 17710    | 0,800       |
| SB210 | 50              | 90  | 43,5 | 20 | 10,9 | 32,6           | M10x1          | 9,2 |  | 26980                  | 19840    | 0,800       |
| SB211 | 55              | 100 | 45,3 | 21 | 11,8 | 33,5           | M10x1          | 9,8 |  | 33370                  | 25110    | 1,100       |
| SB212 | 60              | 110 | 53,7 | 22 | 14,9 | 38,8           | M10x1          | 9,8 |  | 36740                  | 27970    | 1,300       |



| ISO   | SLEEVE NO. | Dimensions (mm) |     |    |    |                |                |                |                |      | Basic Load Ratings (N) |          | Weight (kg) |
|-------|------------|-----------------|-----|----|----|----------------|----------------|----------------|----------------|------|------------------------|----------|-------------|
|       |            | d               | D   | B  | C  | d <sub>1</sub> | B <sub>1</sub> | B <sub>2</sub> | d <sub>2</sub> | F    | Dyn. C                 | Stat. Cg |             |
| UK205 | H2305      | 25              | 52  | 23 | 17 | 20             | 35             | 8              | 38             | 3,9  | 10780                  | 6980     | 0,250       |
| UK206 | H2306      | 30              | 62  | 26 | 19 | 25             | 38             | 8              | 45             | 5,0  | 14970                  | 10040    | 0,360       |
| UK207 | H2307      | 35              | 72  | 29 | 20 | 30             | 43             | 9              | 52             | 5,7  | 19750                  | 13670    | 0,570       |
| UK208 | H2308      | 40              | 80  | 31 | 21 | 35             | 46             | 10             | 58             | 6,2  | 22710                  | 15940    | 0,740       |
| UK209 | H2309      | 45              | 85  | 31 | 22 | 40             | 50             | 11             | 65             | 6,4  | 24360                  | 17710    | 0,830       |
| UK210 | H2310      | 50              | 90  | 32 | 24 | 45             | 55             | 12             | 70             | 6,5  | 26980                  | 19840    | 0,970       |
| UK211 | H2311      | 55              | 100 | 35 | 25 | 50             | 59             | 12             | 75             | 7,0  | 33370                  | 25110    | 1,260       |
| UK212 | H2312      | 60              | 110 | 38 | 27 | 55             | 62             | 13             | 80             | 7,6  | 36740                  | 27970    | 1,590       |
| UK213 | H2313      | 65              | 120 | 40 | 28 | 60             | 65             | 14             | 85             | 8,5  | 44010                  | 34180    | 1,760       |
| UK215 | H2315      | 75              | 130 | 44 | 30 | 65             | 73             | 15             | 98             | 9,2  | 50850                  | 41260    | 2,320       |
| UK217 | H2317      | 85              | 150 | 46 | 34 | 75             | 82             | 18             | 110            | 10,2 | 64010                  | 53280    | 3,880       |
| UK218 | H2318      | 90              | 160 | 47 | 36 | 80             | 86             | 18             | 120            | 11,2 | 73830                  | 60760    | 4,740       |



| ISO   | Dimensions (mm) |     |      |    |                |                |                |                |      | Basic Load Ratings (N) |          | Weight (kg) |
|-------|-----------------|-----|------|----|----------------|----------------|----------------|----------------|------|------------------------|----------|-------------|
|       | d               | D   | B    | C  | d <sub>1</sub> | B <sub>1</sub> | B <sub>2</sub> | d <sub>2</sub> | F    | Dyn. C                 | Stat. Cg |             |
| UC201 | 12              | 47  | 31   | 17 | 12,7           | 18,3           | 4,8            | M6x1           | 3,7  | 9880                   | 6200     | 0,200       |
| UC202 | 15              | 47  | 31   | 17 | 12,7           | 18,3           | 4,8            | M6x1           | 3,7  | 9880                   | 6200     | 0,190       |
| UC203 | 17              | 47  | 31   | 17 | 12,7           | 18,3           | 4,8            | M6x1           | 3,7  | 9880                   | 6200     | 0,180       |
| UC204 | 20              | 47  | 31   | 17 | 12,7           | 18,3           | 4,8            | M6x1           | 3,7  | 9880                   | 6200     | 0,160       |
| UC205 | 25              | 52  | 34,1 | 17 | 14,3           | 19,8           | 5              | M6x1           | 3,9  | 10780                  | 6980     | 0,200       |
| UC206 | 30              | 62  | 38,1 | 19 | 15,9           | 22,2           | 5              | M6x1           | 5,0  | 14970                  | 10040    | 0,320       |
| UC207 | 35              | 72  | 42,9 | 20 | 17,5           | 25,4           | 7              | M8x1           | 5,7  | 19750                  | 13670    | 0,480       |
| UC208 | 40              | 80  | 49,2 | 21 | 19             | 30,2           | 8              | M8x1           | 6,2  | 22710                  | 15940    | 0,640       |
| UC209 | 45              | 85  | 49,2 | 22 | 19             | 30,2           | 8              | M8x1           | 6,4  | 24360                  | 17710    | 0,680       |
| UC210 | 50              | 90  | 51,6 | 24 | 19             | 32,6           | 10             | M10x1          | 6,5  | 26980                  | 19840    | 0,800       |
| UC211 | 55              | 100 | 55,6 | 25 | 22,2           | 33,4           | 10             | M10x1          | 7,0  | 33370                  | 25110    | 1,110       |
| UC212 | 60              | 110 | 65,1 | 27 | 25,4           | 39,7           | 10             | M10x1          | 7,6  | 36740                  | 27970    | 1,540       |
| UC213 | 65              | 120 | 65,1 | 28 | 25,4           | 39,7           | 10             | M10x1          | 8,5  | 44010                  | 34180    | 1,850       |
| UC214 | 70              | 125 | 74,6 | 29 | 30,2           | 44,4           | 12             | M12x1,5        | 8,9  | 46790                  | 37590    | 2,050       |
| UC215 | 75              | 130 | 77,8 | 30 | 33,3           | 44,5           | 12             | M12x1,5        | 9,2  | 50850                  | 41260    | 2,210       |
| UC216 | 80              | 140 | 82,6 | 32 | 33,3           | 49,3           | 12             | M12x1,5        | 9,5  | 55040                  | 45090    | 2,800       |
| UC217 | 85              | 150 | 85,7 | 34 | 34,1           | 51,6           | 12             | M12x1,5        | 10,2 | 64010                  | 53280    | 3,460       |
| UC218 | 90              | 160 | 96   | 36 | 39,7           | 56,3           | 12             | M12x1,5        | 11,2 | 73830                  | 60760    | 4,360       |
| UC305 | 25              | 62  | 38   | 20 | 15             | 23             | 6              | M6x1           | 5,4  | 17220                  | 11930    | 0,350       |
| UC306 | 30              | 72  | 43   | 23 | 17             | 26             | 6              | M6x1           | 5,7  | 20770                  | 14170    | 0,560       |
| UC307 | 35              | 80  | 48   | 25 | 19             | 29             | 8              | M8x1           | 6,2  | 25660                  | 17920    | 0,710       |
| UC308 | 40              | 90  | 52   | 27 | 19             | 33             | 10             | M10x1          | 7,0  | 31350                  | 22380    | 0,960       |
| UC309 | 45              | 100 | 57   | 30 | 22             | 35             | 10             | M10x1          | 7,8  | 40660                  | 30000    | 1,280       |
| UC310 | 50              | 110 | 61   | 32 | 22             | 39             | 12             | M12x1,5        | 8,5  | 47580                  | 35710    | 1,650       |
| UC311 | 55              | 120 | 66   | 34 | 25             | 41             | 12             | M12x1,5        | 9,2  | 55050                  | 41910    | 2,070       |
| UC312 | 60              | 130 | 71   | 36 | 26             | 45             | 12             | M12x1,5        | 9,8  | 62880                  | 48600    | 2,600       |
| UC313 | 65              | 140 | 75   | 38 | 30             | 45             | 12             | M12x1,5        | 10,5 | 72210                  | 56680    | 3,250       |
| UC314 | 70              | 150 | 78   | 40 | 33             | 45             | 12             | M12x1,5        | 11,1 | 80100                  | 63480    | 3,980       |
| UC315 | 75              | 160 | 82   | 42 | 32             | 50             | 14             | M14x1,5        | 11,8 | 87250                  | 71670    | 4,720       |
| UC316 | 80              | 170 | 86   | 44 | 34             | 52             | 14             | M14x1,5        | 12,5 | 94570                  | 80350    | 5,550       |
| UC317 | 85              | 180 | 96   | 46 | 40             | 56             | 16             | M16x1,5        | 15,0 | 104100                 | 91300    | 6,700       |
| UC318 | 90              | 190 | 96   | 48 | 40             | 56             | 16             | M16x1,5        | 15,9 | 113000                 | 103000   | 7,600       |
| UC319 | 95              | 200 | 103  | 50 | 41             | 62             | 16             | M16x1,5        | 16,7 | 123000                 | 116000   | 8,750       |
| UC320 | 100             | 215 | 108  | 54 | 42             | 66             | 18             | M18x1,5        | 18,0 | 143000                 | 128000   | 10,28       |
| UC321 | 105             | 225 | 112  | 56 | 44             | 68             | 18             | M18x1,5        | 19,0 | 187000                 | 163000   | 12,30       |
| UC322 | 110             | 240 | 117  | 60 | 46             | 71             | 18             | M18x1,5        | 21,0 | 209000                 | 183000   | 14,50       |
| UC324 | 120             | 260 | 126  | 64 | 51             | 75             | 18             | M18x1,5        | 22,0 | 211000                 | 184000   | 18,70       |
| UC326 | 130             | 280 | 135  | 68 | 54             | 81             | 20             | M20x1,5        | 23,0 | 234000                 | 204000   | 23,30       |
| UC328 | 140             | 300 | 145  | 73 | 59             | 86             | 20             | M20x1,5        | 25,0 | 260000                 | 227000   | 28,90       |