





AUTOMOTIVE SERVICE EQUIPMENT

AS 905



AS 922



AS 933



AS 943



AS 934



AS 944



AS 963



AS 924



GP 20 ATV

BIKE



AS 946



AQUILA



AS 905	13"-25"	11"-22"	12"	980 mm	0,55 kW	8,5 rpm	10 bar	320 mm
AS 933 - AS 933 TI	13"-23"	10"-20"	12"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	320 mm
AS 934 - AS 934 TI	13"-23"	10"-20"	12"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	320 mm
AS 943 - AS 943 TI	13"-25"	10"-22"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
AS 944 - AS 944 TI	13"-26"	10"-24"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
AS 946 - AS 946 TI	13"-26"	10"-26"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
AS 963 - AS 963 TI	13"-25"	10"-22"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
AS 924	13"-26"	10"-24"	14"	1100 mm	0,75 kW	8 rpm 13 rpm (2V)	8-10 bar	370 mm
GP 20 ATV	5"-23"	-	-	1000 mm	0,75 Hp 1 ph 0,55 Hp 3 ph	-	10 bar	-

EQUIPMENT

RPX



SUPER RM
2 EAGLE



SR 300



SUPER RM MINI

ONLY FOR AS 924



RM CLASSIC



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY

Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY

Tel. 0721.93671 - Telefax 0721.930232

info@mondolfoferro.it - www.mondolfoferro.it



AQUILA



AS 944 LL	13"-26"	10"-24"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
RAPTOR	12"-28"	-	15"	42"- 1080 mm	0,75 kW	6-15 rpm (2V)	10 bar	-
AUDAX - AUDAX M	12"-30"	-	16"	47" - 1200 mm	0,75 kW	7-18 rpm (2V)	10 bar	-
TORNADO	13"-32"	-	16"	47" - 1200 mm	0,8 kW	7-18 rpm (2V)	10 bar	-



AUDAX M

SERVICE MOBILE



AS 944 LL



AUDAX



RAPTOR



TORNADO

WITHOUT LEVER



www.facebook.com/MONDOLFOFERROspa




<http://www.youtube.com/user/MondolfoFerro>


MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY

Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it






TB 120



TB 125



TB 126



TBE 155



TBE 155 S



TBE 156

PRO



TBE 160



WITHOUT LEVER



TB 120	14"-26"	695 mm	1400 mm	700 kg	14000 N
TB 125	14"-26"	780 mm	1600 mm	700 kg	17000 N
TB 126 N - DELUXE - SUPER	14"-26"	780 mm	1500 mm	700 kg	20000 N
TBE 155	14"-56"	1065 mm	2300 mm	1000 kg	25000 N
TBE 155 S	14"-56"	1000 mm	2200 mm	1700 kg	29000 N
TBE 156 PRO N - DELUXE - SUPER	14"-56"	1220 mm	2450 mm	1700 kg	30000 N
TBE 160	14"-60"	1600 mm	2700 mm	2000 kg	37000 N
TB 123 MOBILE	13"-26"	520-960 mm	1380 mm	350 kg	13000 N



TB123 MOBILE

SERVICE MOBILE



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY

Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY

Tel. 0721.93671 - Telefax 0721.930232

info@mondolfoferro.it - www.mondolfoferro.it



Equilibratrici - Wheel balancers - Equibreuses - Auswuchtmaschinen - Equilibradoras - Máquinas de equilibrar - Балансир



EASY ALU

PLUS
VERSION

MT 3100UP - MT 3200UP
MT 3200UP PLUS



EASY ALU

MT 3600UP - MT 3600UP C



LASER

MT 3350UP C - MT 3350UP C



LASER

MT 3650UP - MT 3650UP C



MT 3500UP - MT 3500UP C
LASER & SONAR



MT 3800UP
MT 3800UP C
LASER & SONAR



MT 3900UP C




MT 4000UP C

TOUCHSCREEN & TOUCHLESS

MT 3100UP - MT 3200UP - MT 3600UP	1gr - 1/10oz	10"-28"	1,5"-20"	1118 mm	75 kg
MT 3350UP - MT 3650UP	1gr - 1/10oz	10"-28"	1,5"-20"	1118 mm	75 kg
MT 3500UP - MT 3800UP	1gr - 1/10oz	10"-28"	1,5"-20"	1118 mm	75 kg
MT 3900UP - MT 4000UP	1gr - 1/10oz	10"-32"	1,5"-20"	1118 mm	75 kg

MT 3000 VAN
SERVICE MOBILE



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY
Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it





AUTOMATICO SERVICE

TRUCK



FBM 38 COMBI	1gr - 1/10oz	-	-	-	-
MT 2330 - MT 2350	1gr - 1/10oz	8"-20" car 12"-28" truck	1,5"-22" car 4"-20" truck	1320 mm	150 kg
MT 2450	1gr - 1/10oz	7"-30" car 12"-30" truck	1,5"-22" car 4"-22" truck	1220 mm	300 kg
MT 2650	1gr - 1/10oz	7"-30" car 12"-30" truck	1,5"-22" car 4"-22" truck	1220 mm	200 kg





AUTOMATIVE SERVICE EQUIPMENT



TRIGON 648



TRIGON 728



TRIGON 725



TRIGON 4 VISION PLATINUM



VERSION:

NOVO
CM W

NOVO
TILT


CAL ONE TOUCH



TRIGON



648	✓		✓		0,01°	20000 Vehicles	17"-19"
725	✓		✓		0,01°	20000 Vehicles	17"-19"
728 PLATINUM	✓		✓		0,01°	20000 Vehicles	17"-19"
NOVO		✓		✓	0,01°	20000 Vehicles	17"-27"
4 VISION PLATINUM		✓		✓	0,01°	20000 Vehicles	27"



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY

Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it





PRE-CHECK

QUICKVISION 3.5



■ *Tecnologia Touchless*


■ **SMART REMOTE Kit**




OPTIONAL

Available with:

- **LAUNCHER**
- **ORGANIZER**
- **AUTO QR**



iPROFILE



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY

Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it





2 COLUMN



P 232N - P 232N BC - P 232N EC
P 240N EC - P 250 EX - P 250 EC



P 230 BC



SERIES P 235



ELECTRO MECHANICAL

TITAN



P 230 BC	3000 kg	99 mm	1945 mm	2560 mm
P 232N - P 232N BC	3200 kg	120 mm	1950 mm	2570 mm
P 232N EC	3200 kg	85 mm	1915 mm	2570 mm
P 240N EC	4000 kg	85 mm	1925 mm	2755 mm
P 240 EX	4000 kg	70 mm	1890 mm	2700 mm
P 250 EC	5000 kg	105 mm	2005 mm	2800 mm
P 235	3500 kg	90 mm	1945 mm	2500 mm
PI 232	3200 kg	99 mm	1980 mm	2600 mm
PI 232 BC	3200 kg	99 mm	2030 mm	2600 mm
PI 240 N	4000 kg	80 mm	1940 mm	2680 mm
PI 240 E	4000 kg	100 mm	1930 mm	2680 mm
PI 250	5000 kg	95 mm	2050 mm	3100 mm



SERIES PI 240 N & SERIES PI 240 E



SERIES PI 250

SERIES PI 232

ELECTRO HYDRAULIC





NEW

X 1300 - X 1350



X 3000 - X 3500 - X 4000



X 2035 T - X 2040 T

TITAN



X 1300	3000 kg	970 mm	110 mm	2050 - 2100 mm
X 1350	3500 kg	970 mm	110 mm	2050 - 2100 mm
X 2035 T	3200 kg	2000 mm	250 mm	2110 mm
X 2040 T	4000 kg	2000 mm	250 mm	2110 mm
X 3000	3000 kg	1900-2000 mm	115 mm	1550-2240 mm
X 3500	3500 kg	1900-2000 mm	115 mm	1550-2240 mm
X 4000	4000 kg	1900-2000 mm	115 mm	1550-2240 mm
X 571 - X 573	5000 kg	2105 mm	255 mm	5200 mm
SL 25	2500 kg	500 mm	115 mm	1360 mm



SL 25

CRICK MC



MC 002	MC 118	MC 240 MC 240 P	MC 330	MC 440
2 t	16 t	28 t	60 t	40 t



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY
Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it





4 COLUMN



SERIES PI 441 - PI 443 - PI 451 - PI 453



SERIES X 593 T - X 693 T

TITAN



PI 441 B	4000 kg	1960 mm	126 mm	4870 mm
PI 443 B	4000 kg	1960 mm	126 mm	4870 mm
PI 443 W BL	4000 kg	1960 mm	180 mm	5100 mm
PI 451 W	5000 kg	1960 mm	180 mm	5100 mm
PI 453 W	5000 kg	1960 mm	180 mm	5100 mm
PI 453 LT	5000 kg	1960 mm	180 mm	5205 mm

SERIES X 571 - X 573 - X 461 - X 463



TITAN



X 593 T	5000 kg	2020 mm	180 mm	5200 mm
X 693 T	6500 kg	2180 mm	280 mm	5400 mm
X 571 - X 573	5000 kg	2105 mm	255 mm	5200 mm
X 461 - X 463	4300 kg	2090 mm	240 mm	4650 mm







7.5 t
MAX
5.5 t
MAX
TRUCK




4 colonne / 4-column set
ZEUS -4



6 colonne / 6-column set
ZEUS -4 + ZEUS -2



8 colonne / 8-column set
ZEUS -4 + ZEUS -4



NEW

CRONO



16-33 t

1882 mm

206 mm


7-18 m

BIKE



M600

TRUCK



SERIES MAGNUM



MAGNUM	10 ÷ 50 t	1900 mm	210 mm	5800 ÷ 18750 mm
M 600	600 kg	1200 mm	155 mm	2260 mm



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY
Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it







NT CAM/M
Sistema di riconoscimento automatico targa
Automatic LICENSE PLATE recognition system

PD 25-45

Prova giochi idraulico



BRM 4.8W MCTC

MCTC Net2
Only for Italian Market



0-6 kN



17" - 19"

MCTC Net2

OPA 820 - 840

Strumento per la misura dell'opacità dei motori Diesel sugli autoveicoli e veicoli industriali
Opacimeter for diesel engines in passenger car and industrial vehicles.



23°34'22,5 mm

GAS 810 - 830


Analizzatore gas di scarico per motori a benzina, metano e GPL
Exhaust gas analyser for petrol, methane and LPG engines.

BRM S-BOX



0-6 kN

MCTC Net2



PFT - CAM

Centrafari a Telecamera
Camera Headlight tester



MCTC Net2
Only for Italian Market




DINA BRAKE-COMBI



0-6 kN

MCTC Net2



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY
Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it





	1250 mm
	600 mm

IMPACT WRENCHES / AVVITATORI



AP 1
FOR CARS, VANS, SUV AND MOTORCYCLES



AP 10
FOR EARTH MOVEMENT AND FARMING VEHICLES



AP 20
FOR TRUCKS AND BUSES



NEW

NITRONIC

1,5	1,5 Nm³/h	1405*675*445 mm	92 kg	8 - 10 bar
3	3 Nm³/h	1405*675*445 mm	92 kg	8 - 10 bar
1.8	1,8 Nm³/h	1405*675*445 mm	54 kg	10 - 12 bar



NITRONIC

FUNZIONE FULL HYBRID
FULL HYBRID SYSTEM FUNCTION
FUNZIONE RECUPERATORE INTEGRATA
INTEGRATED RECOVERY FUNCTION

AUTOMATIC



650*680*1180 mm



USB

HYBRID

AIRCOMFORT 200L



600*650*1000 mm



USB

AIRCOMFORT 232



NEW REFRIGERANT R-1234yf ONLY
SOLO NUOVO REFRIGERANTE R-1234yf



VORTEX 850



12"-33"



6"- 14"



1475*1015*1305 mm



65 kg



8 - 10 bar



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY

Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY
Tel. 0721.93671 - Telefax 0721.930232
info@mondolfoferro.it - www.mondolfoferro.it





MONDOLFO



Sin dal 1963, anno di fondazione della nostra Azienda, abbiamo affidato all'immagine di un'aquila con le ali spiegate, il compito di rappresentare lo spirito più autentico e profondo della nostra filosofia imprenditoriale.

Oggi sappiamo di non esserci sbagliati.

Come l'aquila abbiamo volato molto in alto, forse più delle nostre stesse aspettative. E questo grazie ad un incessante lavoro di perfezionamento tecnologico e professionale sempre accompagnato da una tenace volontà di innovazione.

Siamo altrettanto consapevoli che non saremmo mai arrivati tanto in alto senza il sostegno e la fiducia di tutti i nostri clienti e dei nostri partner che sentiamo particolarmente vicini.

Anche loro, come noi, (ognuno a proprio modo), hanno inseguito e realizzato un grande sogno "a quattro ruote".



www.facebook.com/MONDOLFOFERROspa



<http://www.youtube.com/user/MondolfoFerro>

AUTOMOTIVE SERVICE EQUIPMENT



DPMF000272D - 042017.



Since 1963, the year in which our company was founded, we have used a spread eagle to represent the essence of our corporate philosophy.

Now we know that we made the right choice.

Just like the eagle, we too have soared to great heights, perhaps even surpassing our own expectations, thanks to our ongoing technological and professional perfection, inextricably matched with a determined desire for innovation.

We are just as aware that we could never have come so far without the support and trust of all our customers and partners, to whom we feel especially close.

They too, like us, (each in their own way), have followed and realized a great "four-wheel" dream.

MONDOLFO FERRO S.p.A. - a NEXION GROUP COMPANY

Viale Dell'Industria, 20 - 61037 MONDOLFO (PU) ITALY

Tel. 0721.93671 - Telefax 0721.930232

info@mondolfoferro.it - www.mondolfoferro.it

